











2022-2023



















WELCOME TO LIGHTING WORLD

THE COMPREHENSIVE RANGE OF

LED LIGHTING PRODUCTS





WHO WEARE

EKOS is the unit of RSG Group that has bought a mind blowing range of LED lighting products in India. After successfully completing seven years the company has expanded their range by manufacturing the solar panels and lightings as well.

The main objective of the company is to work towards energy conservation in order to contribute towards India's prosperity by saving a substantial amount of electricity. To meet with this objective, RSG Sales & Services (P) Ltd. has a team of professionals that helps in creating such low energy consuming products.

EKOS has always worked towards providing the best quality service to its customers and fulfilling their requirements in order to bring them a value for money products.

OUR MISSION

Well, it can sound cliched when we put it out there, but our mission is to make electricity available to every barren land. With wide arena of knowledge we develop new softwares and technology that caters to people's business opportunities as well. We want to make the masses understand the usage of electricity!

OUR VISION


Our vision is to be a value preposition manufacturing unit in electrical energy and present a range of electronic services along with the aspects of electrical learning, energy conservation, power generation and bring more creative thought for transmission and distribution with energy conservation.

QUALITYASSURANCE

Quality is considered the most essential element of the product to maintain a loyal client base. Owing to this fact, we have hired a team of quality auditors who undertake the responsibility of maintenance of the standards and specifications laid down to provide our customers with the best quality product.

CUSTOMER SATISFACTION

Client satisfaction is our ultimate goal and to achieve this, our team works really hard. We try to exceed the expectations of the clients by providing the best quality range of products. Our team maintains healthy business relationships with our clients and readily accepts their feedback. This helps us to understand the specific needs of our clients and develop our range accordingly.











LED COLOUR BULB

PEARL & SMILEY

MODEL NO.	EKBPO.5	EKBSO.5	
INPUT VOLTAGE	100-300Vac, 50-60Hz		
WATTAGE	0.5 W		
COLOUR	RED GREEN BLUE YELLOW PINK ORANGE CW WW NW		
HOUSING	PC housing & PC diffuser with PC B22 Cap		
SIZE (mm)	45X65(DXH) 45X65(DXL)		
MRP(INR)	69 109		
STANDARD PACK	90	90	


LED BULB - MARVEL

MODEL NO.	EKBM05	EKBM07	EKBM09	EKBM12	EKBM
NPUT VOLTAGE	100-300Vac, 50-60Hz				
POWER FACTOR	>0.95				
WATTAGE	5W	7W	9W	12W	15V
SURGE PROTECTION			>31	ΚV	
LUMINIOUS EFFICACY	110 lm/w				
ССТ	R B P G CW WW				
CRI	80				
HOUSING	High Quality PBT housing with aluminium insert				
SIZE DxH (mm)	57x100 57x100 57x100 65x120 65x1				
MRP(INR)	149	159	179	249	299
STANDARD PACK	100	100	100	100	100

|











LED T-BULB - TITAN

MODEL NO.	EKBT10
INPUT VOLTAGE	100-300Vac, 50-60Hz
POWER FACTOR	>0.95
WATTAGE	10W
SURGE PROTECTION	>3KV
LUMINIOUS EFFICACY	100 lm/w
ССТ	CW WW
CRI	80
HOUSING	PC Housing and Diffuser
SIZE LXBXH (mm)	200x30X55
MRP(INR)	299
STANDARD PACK	50



LED HIGH WATTAGE BULB

NIMBUS & FAN BULB

MODEL NO.	EKHW30	EKHW40	EKFB40		
INPUT VOLTAGE	100-300Vac, 50-60Hz				
POWER FACTOR	>0.95				
WATTAGE	30W	40W	40W		
SURGE PROTECTION	>3KV				
LUMINIOUS EFFICACY	100 lm/w				
ССТ	CW WW				
CRI	80				
HOUSING	HIGH Quality PBT Housing with Aluminium insert				
SIZE DxH (mm)	100X185 120X230 240X75				
MRP(INR)	899 1299 1199				
STANDARD PACK	16	16	N/A		



LED INVERTER BULB

MODEL NO.	EKDCF09
INPUT VOLTAGE	100-300Vac, 50-60Hz
POWER FACTOR	>0.95
WATTAGE	9W
SURGE PROTECTION	>3KV
LUMINIOUS EFFICACY	100 lm/w
ССТ	CW
CRI	80
HOUSING	PC Housing and Diffuser
SIZE DxH (mm)	70X140
MRP(INR)	799
STANDARD PACK	50
CHARGING TIME	UPTO 8 HRS
BACKUP TIME	UPTO 4 HRS



BULB - VARION

INPUT VOLTAGE
POWER FACTOR
WATTAGE
SURGE PROTECTION
LUMINIOUS EFFICACY
ССТ
CRI
HOUSING
STANDARD PACK

EKDBV 15	EKDBV09		
100-300Va	c, 50-60Hz		
>0.	95		
15W 8W 0.5W	9W 0.5W		
>3KV			
110 lm/w			
CW WW			
>80			
HIGH QUALITY Aluminium Housing			
100 100			
239 199			



MODEL NO.	EKTL05	EKTL10	EKTL20	EKTL24		
INPUT VOLTAGE	100-300Vac, 50-60Hz					
POWER FACTOR	>0.95					
WATTAGE	5W	5W 10W 20W 24W				
SURGE PROTECTION	>3KV					
LUMINIOUS EFFICACY	100 lm/w					
ССТ	R B G P CW WW NW					
CRI	80					
HOUSING	HIGH Quality PC Extruded Housing					
SIZE LXBXH (mm)	295X25X40 575X25X40 1125X25X40 1125					
MRP(INR)	349	499	599	799		
STANDARD PACK	25	25	20	20		



LED TUBE LIGHT IGNIS

INPUT VOLTAGE

POWER FACTOR

WATTAGE

SURGE PROTECTION

LUMINIOUS EFFICACY

CCT

CRI

HOUSING

SIZE LXBXH (mm)

EKTLA36
100-300 V 50-60Hz
>0.95
36W
>3KV
100 lm/w
3000K/6500K
80
High quality aluminum housing with pc diffuser
1175X25X40
1199



MODEL NO.	EKCLB05	EKCLB07	EKCLB09		
INPUT VOLTAGE	100-300Vac, 50-60Hz				
POWER FACTOR	>0.95				
WATTAGE	5W	5W 7W 9W			
SURGE PROTECTION		>3KV			
LUMINIOUS EFFICACY	100 lm/w				
ССТ	RED GREEN BLUE PINK CW WW				
CRI	80				
HOUSING	Р	C Housing With Aluminium Heat Sir	nk		
SIZE DXH (mm)	110x60 110x60 110x60				
MRP(INR)	399 499 699				
STANDARD PACK	50	50	50		
CUT OUT(mm)	80	80	80		







LED 3 in 1 CONCEALED LIGHT - RAINBOW

13

MODEL NO.	EKCLR07			
INPUT VOLTAGE	100-300Vac, 50-60Hz			
POWER FACTOR	>0.95			
WATTAGE	7W			
SURGE PROTECTION	>3KV			
LUMINIOUS EFFICACY	100 lm/w			
COLOUR	R-G-Y R-B-P CW-WW-NW CW-B-OB			
CRI	80			
HOUSING	PC Housing Body With Aluminium Heat Sink			
SIZE DXH (mm)	110x60			
MRP(INR)	599			
STANDARD PACK	50			
CUT OUT(mm)	80			



MODEL NO. EKLCF03 EKLCF06 EKLCF12						
POWER FACTOR >0.95	MODEL NO.	EKLCF03	EKLCF06	EKLCF12		
SURGE PROTECTION SURGE PROTECTION SAKV	INPUT VOLTAGE	100 - 300 Vac, 50-60 Hz				
SURGE PROTECTION S3KV	POWER FACTOR	>0.95				
LUMINIOUS EFFICACY 110 Im/w CCT RED BLUE GREEN PINK WW NW CRI 80 HOUSING PC Housing with lens MRP(INR) 399 799 1599 STANDARD PACK 50 50	WATTAGE	3W 6W 12W				
CCT RED BLUE GREEN PINK WW NW CRI 80 HOUSING PC Housing with lens MRP(INR) 399 799 1599 STANDARD PACK 50 50 50	SURGE PROTECTION	>3KV				
RED SECTION SO	LUMINIOUS EFFICACY	110 lm/w				
HOUSING PC Housing with lens	ССТ	RED BLUE GREEN PINK WW NW				
MRP(INR) 399 799 1599 STANDARD PACK 50 50 50	CRI	80				
STANDARD PACK 50 50	HOUSING	PC Housing with lens				
	MRP(INR)	399 799 1599				
CUT OUT(mm) 45 75 90	STANDARD PACK	50	50	50		
	CUT OUT(mm)	45	75	90		









LED UNIVERSAL LIGHT

SHINE

MODEL NO.	EKUH06	EKUH12		
INPUT VOLTAGE	100-300Va	c, 50-60Hz		
POWER FACTOR	>0	.95		
WATTAGE	6W 12W			
SURGE PROTECTION	>3KV			
LUMINIOUS EFFICACY	100 lm/w			
ССТ	RED GREEN BLUE PINK CW WW NW			
CRI	80			
HOUSING	HIGH QUALITY PC Housing			
MRP(INR)	399	799		
STANDARD PACK	50			







LED PORCH LIGHT

GLORY

MODEL NO.	EKPG06	EKPG12	
110022110.	ERFOOD	LKF 012	
INPUT VOLTAGE	100-300Va	c, 50-60Hz	
POWER FACTOR	>0	.95	
WATTAGE	6W 12W		
SURGE PROTECTION	>3KV		
LUMINIOUS EFFICACY	100 lm/w		
ССТ	RED GREEN BLUE PINK CW WW		
CRI	80		
HOUSING	High Quality PC Housing		
SIZE DxH (mm)	80X45	140X45	
MRP(INR)	399	699	
STANDARD PACK	50	30	



EKDL08

100-300Vac, 50-60Hz

>3KV RED | GREEN | BLUE | PINK | CW | WW

PC Body

50



EKDL15


899

45





LED PANEL (PC BODY) PLASTO



MODEL NO.	EKPPC09	EKPPC15		
INPUT VOLTAGE	100-300Vac, 50-60Hz			
POWER FACTOR	>0	95		
WATTAGE	9W 15W			
SURGE PROTECTION	>3KV			
LUMINIOUS EFFICACY	100 lm/w			
ССТ	CW WW NW			
CRI	80			
HOUSING	HIGH QUALITY PC Housing			
SIZE DXH (mm)	120×40	165×40		
MRP(INR)	899	1299		
STANDARD PACK	50	50		
CUT OUT(mm)	100	150		

MRP(INR) STANDARD PACK CUT OUT(mm)


MODEL NO.

EKDL03

249

45

17





EL NO.	EKPSU06	EKPSU12	EKPSU18
IT VOLTAGE		100-300Vac, 50-60Hz	
ER FACTOR		>0.95	
TAGE	6W	12W	18W
GE PROTECTION	>3KV		
INIOUS EFFICACY	90 lm/w		
	CW WW NW		
	80		
SING	HIGH Quality PC Extruded Housing		
DXH (mm)	120X35	175X35	225X35
(INR)	899	1249	1599
NDARD PACK	50	30	30
OUT(mm)	105	155	205


LED SURFACE PANEL - GLEAM

MODEL NO.	EKPSU06	EKPSU12	EKPSU18	
INPUT VOLTAGE	100-300Vac, 50-60Hz			
POWER FACTOR		>0.95		
WATTAGE	6W 12W 18W			
SURGE PROTECTION	>3KV			
LUMINIOUS EFFICACY	90 lm/w			
ССТ	CW WW NW			
CRI	80			
HOUSING	HIGH Quality PC Extruded Housing			
SIZE DXH (mm)	120X35	175X35	225X35	
MRP(INR)	899	1249	1599	
STANDARD PACK	50	30	30	
CUT OUT(mm)	105	155	205	

PEEP

MODEL NO.
INPUT VOLTAGE
POWER FACTOR
WATTAGE
SURGE PROTECTION
LUMINIOUS EFFICACY
ССТ
CRI
HOUSING
SIZE LXH/D (mm)
MRP(INR)

EKPSL06	EKPSL12	EKPSL18			
100-300Vac, 50-60Hz					
	>0.95				
6W	12W	18W			
>3KV					
90 lm/w					
CW WW NW					
80					
HIGH Quality Aluminium Housing					
120X25	175X25	225X25			
799	1149	1499			
50	30	30			
105	155	205			



SURFACE PANEL - SPARKLE

INPUT VOLTAGE
POWER FACTOR
WATTAGE
SURGE PROTECTION
LUMINIOUS EFFICACY
ССТ
CRI
HOUSING

100-300Vac, 50-60Hz >0.95 36W 48W >4KV 100 lm/w CW WW 80 HIGH QUALITY Aluminium Housing		EKCPSU36	EKCPSU48		
36W 48W >4KV 100 lm/w CW WW 80		100-300Vac, 50-60Hz			
>4KV 100 lm/w CW WW 80		>0.95			
100 lm/w CW WW 80		36W 48W			
CW WW		>4KV			
80		100 lm/w			
		CW WW			
HIGH QUALITY Aluminium Housing		80			
600x600x70 600x600x70		600x600x70 600x600x70			
4589 5649		4589	5649		

EKCPSL36	EKCPSL48	
120-300Vac, 50-60Hz		
>0.	.95	
36W	48W	
>4KV		
100 l	m/w	
CW WW		
80		
HIGH QUALITY Aluminium Housing		
595x595x15	595x595x15	
4379	4589	





LED HI-BAY LIGHT

CANDIED

INPUT VOLTAGE
POWER FACTOR
WATTAGE
SURGE PROTECTION
LUMINIOUS EFFICAC
ССТ
CRI
HOUSING
MRP(INR)

MODEL NO.

EKHB120	EKHB150			
120-300Vac, 50-60Hz				
>0.95				
100W 120W 150				
>4KV inbuilt, upto 10KV-20KV with SPD				
120 lm/w				
CW WW				
80				
Aluminium Housing With Heat Sink				
8395 10569 1296				
	120-300Vac, 50-60Hz >0.95 120W KV inbuilt, upto 10KV-20KV with 120 lm/w CW WW 80 Aluminium Housing With Heat Signature			






Brighten Your Life

INPUT VOLTAGE
POWER FACTOR
WATTAGE
SURGE PROTECTION
LUMINIOUS EFFICACY
ССТ
CRI
HOUSING
SIZE DxH (mm)
MRP(INR)
STANDARD PACK

EKTR10	EKTR18 EKTR30					
100-300Vac, 50-60Hz						
	>0.95					
10W	18W	30W				
	>3KV					
120 lm/w						
CW WW						
	80					
Δ	Aluminium Housing With Heat Sir	nk				
150X57 200X75 290X100						
2299 2499 4999						
10 10 10						









LED COB DOWN LIGHT

FLAME

MODEL NO.
INPUT VOLTAGE
POWER FACTOR
WATTAGE
SURGE PROTECTION
LUMINIOUS EFFICACY
ССТ
CRI
HOUSING
MRP(INR)
STANDARD PACK
CUT OUT(mm)

EKCBF02	EKCBF06	EKCBF12	EKCBF18				
100-300Vac, 50-60Hz							
	>0	.95					
2W	2W 6W 12W 18W						
	>3KV						
120 lm/w							
CW WW NW							
80							
	Aluminium Housing With Heat Sink						
249 899 1699 2299							
50	50	50	50				
45	70	90	100				












LED STREET LIGHT SCARLET

INPUT VOLTAGE
POWER FACTOR
WATTAGE
SURGE PROTECTION
LUMINIOUS EFFICACY
ССТ
CRI
HOUSING
MRP(INR)

EKSLS20	EKSLS30	EKSLS36	EKSLS50	EKSLS60	EKSLS75	EKSLS100	EKSLS120	EKSLS150	EKSLS200
	120-300Vac, 50-60Hz								
				>0	.95				
20W	20W 30W 36W 50W 60W 75W 100W 120W 150W 200W								200W
	>4KV inbuilt, upto 10KV with SPD								
	120 lm/w								
	cw ww								
	70-80								
	HIGH QUALITY Aluminium Die Casting & Powder Coated Housing								
1295	1405	1855	2525	3475	4375	5599	7175	8515	13445



LED STRIP DRIVER

MODEL NO.	
INPUT VOLTAGE	
OUTPUT VOLTAGE	
OUTPUT CURRENT	
OUTPUT TYPE	
CABINATE	

EKSD12V2A	EKSD12V5A	EKSD12V10A						
	100-300 VAC							
	12VDC							
2A	2A 5A 10A							
	CV							
METAL								





LED STRIP FLEXIBLE GLIMMER

MODEL NO.	EKSG60	EKSG120	EKSG180	EKSG240			
INPUT VOLTAGE	12VDC						
LUMINIOUS EFFICACY		20 lm	n/LED				
COLOUR	CW WW NW RED GREEEN BLUE PINK ICE BLUE MULTI COLOUR						
CRI	70						
SIZE	L- 5M, W- 8MM						

ELECTRICAL **INSULATION TAPES** TACKY



MODEL NO.	EKTT08
001 0110	
COLOUR	BLACK BLUE GREEN WHITE RED YELLOW
SIZE DXH (mm)	8MTR. X 18MM. X 0.125MM.
SIZE DATI (IIIII)	OM I R. A IOMIM. A U.IZSIMM.
MRP(INR)	450
STANDARD PACK	30









BEACON

MODEL NO.
INPUT VOLTAGE
WATTAGE
LUMINIOUS EFFICACY
ССТ
CRI
HOUSING
MRP(INR)

•								
	EKSOB07	EKSOB09	EKSOB12	EKSOB15	EKSOB18	EKS0B24		
	12Vdc							
	7W	9W	12W	15W	18W	24W		
	120 lm/w							
	CW WW							
	70							
	HIGH QUALITY Aluminium Die Casting & Powder Coated Housing							
	1419	9 1639 2075 2350 2619 3055				3055		
- '								







CERTIFICATES








ISO 9001: 2015 CERTIFICATE

NSIC REG. CERTIFICATE




BIS STREET LIGHT CERTIFICATE



INDIAN RAILWAY
APPRECIATION LETTER

BIS FLOOD LIGHT CERTIFICATE



BUREAU OF ENERGY EFFICIENCY CERTIFICATE

NOTE	
	_









Terms & Conditions

- All products comes under 24 months warranty except for LED Bulb and LED Tubelight.
- MRP are inclusive of GST. These are the maximum recommended prices. However dealers/retailers are free to sell below the maximum recommended prices.
- The price list is subject to change without any notice.
- All prices are subject to General Terms and Conditions of the company.
- Disputes, if any, are subject to Lucknow jurisdiction only.
- This price list supersedes all previous price lists.
- Every effort has been made to ensure accuracy in compilation of technical / commercial details within this publication, however in case of discrepancy; management's decision shall be Final.
- Specifications and performance data are constantly changing; current details should, therefore, be checked with the company.
- Displayed product images in the catalogue are only for indicative purpose and may differ from the actual products.
- Lumen declared in catalogue is For Cool White (6000K/6500K) CCT at 220 240 Volts.